

mimSAFE
www.mimsafe.com

VarioGate double minimum leaning




41.73–50.39 With 3-pipes wings (included)
41.73–55.12 With 4-pipes "extension wings" (sold separately)




all measurements in inches

VarioGate double maximum leaning



46.06–50.39 With 3-pipes wings (included)
52.76–55.12 With 4-pipes "extension wings" (sold separately)




all measurements in inches


VarioGate
4th generation MIMsafe products

mimSAFE
www.mimsafe.com

VarioGate double + VarioDivider minimum leaning




41.73–50.39 With 3-pipes wings (included)
41.73–55.12 With 4-pipes "extension wings" (sold separately)




30.71–39.37 When using VarioDivider **Medium** (sold separately)
41.34–59.06 When using VarioDivider **Large** (sold separately)

all measurements in inches

VarioGate double + VarioDivider maximum leaning



46.06–50.39 With **3-pipes wings** (included)
52.76–55.12 With 4-pipes **"extension wings"** (sold separately)




30.71–39.37 When using VarioDivider **Medium** (sold separately)
41.34–59.06 When using VarioDivider **Large** (sold separately)

all measurements in inches


VarioGate
4th generation MIMsafe products

mimSAFE
www.mimsafe.com

VarioGate single + VarioDivider minimum leaning




20.87–25.20 With 3-pipes wings (included)
20.87–27.56 With 4-pipes "extension wings" (sold separately)




30.71–39.37 When using VarioDivider **Medium** (sold separately)
41.34–59.06 When using VarioDivider **Large** (sold separately)

all measurements in inches

VarioGate single + VarioDivider maximum leaning



21.97–25.20 With **3-pipes wings** (included)
26.38–27.56 With 4-pipes **"extension wings"** (sold separately)



30.71–39.37 When using VarioDivider **Medium** (sold separately)
41.34–59.06 When using VarioDivider **Large** (sold separately)

all measurements in inches

VarioGate
4th generation MIMsafe products